



## NASA SBIR 2011 Phase I Solicitation

### S1.09 In Situ Sensors and Sensor Systems for Lunar and Planetary Science

Lead Center: JPL

Participating Center(s): ARC, GRC, GSFC, JSC, KSC, LaRC, MSFC

This subtopic solicits development of advanced instrument technologies and components suitable for deployment on planetary and lunar missions. These technologies must be capable of withstanding operation in space and planetary environments, including the expected pressures, radiation levels, launch and impact stresses, and range of survival and operational temperatures. Technologies that reduce mass, power, volume, and data rates for instruments and instrument components without loss of scientific capability are of particular importance. In addition, technologies that can increase instrument resolution and sensitivity or achieve new & innovative scientific measurements are solicited. For example missions, see <http://science.hq.nasa.gov/missions>. For details of the specific requirements see the National Research Council's, Vision and Voyages for Planetary Science in the Decade 2013-2022 <http://solarsystem.nasa.gov/2013decadal/>. Technologies which support NASA's Planetary Flagship mission candidates (Mars 2018, JEO, & Uranus Orbiter & Probe Mission), New Frontiers Mission candidates (Comet Surface Sample Return, Lunar South Pole-Aitken Basin Sample Return, Saturn Probe, Trojan Tour & Rendezvous, Venus In-Situ Explorer, Io Observer, and the Lunar Geophysical Network) and Discovery missions to various planetary bodies are of top priority.

In situ technologies are being sought to achieve much higher resolution and sensitivity with significant improvements over existing technologies. Orbital sensors and technologies that can provide significant improvements over previous orbital missions are also sought. Specifically, this subtopic solicits instrument development that provides significant advances in the following areas, broken out by planetary body:

- Mars: Sub-systems relevant to current in situ instrument needs (e.g., lasers and other light sources from UV to microwave, X-ray and ion sources, detectors, mixers, mass analyzers, etc.) or electronics technologies (e.g., FPGA and ASIC implementations, advanced array readouts, miniature high voltage power supplies). Technologies that support high precision in situ measurements of elemental, mineralogical, and organic composition of planetary materials are sought. Conceptually simple, low risk technologies for in situ sample extraction and/or manipulation including fluid and gas storage, pumping, and chemical labeling to support analytical instrumentation. Seismometers, mass analyzers, technologies for heat flow probes, and atmospheric trace gas detectors. Improved robustness and g-force survivability for instrument components, especially for geophysical network sensors, seismometers, and advanced detectors (iCCDs, PMT arrays, etc.). Instruments geared towards rock/sample interrogation prior to sample return are desired.

- 
- Europa & Io: Technologies for high radiation environments, e.g., radiation mitigation strategies, radiation tolerant detectors, and readout electronic components, which enable orbiting instruments to be both radiation-hard and undergo the planetary protection requirements of sterilization (or equivalent) for candidate instruments on the Europa-Jupiter System Mission (JEO) and Io Observer are sought.
  - Titan: Low mass and power sensors, mechanisms and concepts for converting terrestrial instruments such as turbidimeters and echo sounders for lake measurements, weather stations, surface (lake and solid) properties packages etc., to cryogenic environments (95K). Mechanical and electrical components and subsystems that work in cryogenic (95K) environments; sample extraction from liquid methane/ethane, sampling from organic 'dunes' at 95K and robust sample preparation and handling mechanisms that feed into mass analyzers are sought. Balloon instruments, such as IR spectrometers, imagers, meteorological instruments, radar sounders, air sampling mechanisms for mass analyzers, and aerosol detectors are also solicited.
  - Venus: Sensors, mechanisms, and environmental chamber technologies for operation in Venus's high temperature, high-pressure environment with its unique atmospheric composition. Approaches that can enable precision measurements of surface mineralogy and elemental composition and precision measurements of trace species, noble gases and isotopes in the atmosphere are particularly desired.
  - Small Bodies: Technologies that can enable sampling from asteroids and from depth in a comet nucleus, improved in situ analysis of comets. Also, imagers and spectrometers that provide high performance in low light environments.
  - Saturn, Uranus and Neptune: Technologies are sought for components, sample acquisition and instrument systems that can enhance mission science return and withstand the low-temperatures/high-pressures of the atmospheric probes during entry.
  - The Moon: This solicitation seeks advancements in the areas of compact, light-weight, low power instruments geared towards in situ lunar surface measurements, geophysical measurements, lunar atmosphere and dust environment measurements & regolith particle analysis, lunar resource identification, and/or quantification of potential lunar resources (e.g., oxygen, nitrogen, and other volatiles, fuels, metals, etc.). Specifically, advancements geared towards instruments that enable elemental or mineralogy analysis (such as high-sensitivity X-ray and UV-fluorescence spectrometers, UV/fluorescence flash lamp/camera systems, scanning electron microscopy with chemical analysis capability, time-of-flight mass spectrometry, gas chromatography and tunable diode laser sensors, calorimetry, laser-Raman spectroscopy, imaging spectroscopy, and LIBS) are sought. These developments should be geared towards sample interrogation, prior to possible sample return. Systems and subsystems for seismometers and heat flow sensors capable of long-term continuous operation over multiple lunar day/night cycles with improved sensitivity at lower mass and reduced power consumption are sought. Also of interest are portable surface ground penetrating radars to characterize the thickness of the lunar regolith, as well as low mass, thermally stable hollow cubes and retro-reflector array assemblies for lunar surface laser ranging. Of secondary importance are instruments that measure the micrometeoroid and lunar secondary ejecta environment, plasma environment, surface electric field, secondary radiation at the lunar surface, and dust concentrations and its diurnal dynamics are sought. Further, lunar regolith particle analysis techniques are desired (e.g., optical interrogation or software development that would automate integration of suites of multiple back scatter electron images acquired at different operating conditions, as well as permit integration of other data such as cathodoluminescence and energy-dispersive x-ray analysis.)

Proposers are strongly encouraged to relate their proposed development to:

- NASA's future planetary exploration goals.
- Existing flight instrument capability, to provide a comparison metric for assessing proposed improvements.

---

Proposed instrument architectures should be as simple, reliable, and low risk as possible while enabling compelling science. Novel instrument concepts are encouraged particularly if they enable a new class of scientific discovery. Technology developments relevant to multiple environments and platforms are also desired.

Proposers should show an understanding of relevant space science needs, and present a feasible plan to fully develop a technology and infuse it into a NASA program.